

Cook® Formula 418™ Biliary Stent System  
D.C. #K051785  
Request for Additional Information

39

DEC 9 2005

**510(k) Summary****Submitted By:**

Karen Bradburn, RAC  
Senior Regulatory Affairs Specialist  
Cook Incorporated  
750 Daniels Way, PO Box 489  
Bloomington, IN 47402  
812-339-2235  
November 9, 2005

**Device:**

Trade Name:	Cook® Formula 418™ Biliary Stent System
Proposed Classification:	Catheter, Biliary Diagnostic FGE (21 CFR§876.5010)

**Indications for Use**

Indicated for use in palliation of malignant neoplasms in the biliary tree.

**Predicate Devices:**

The Formula 418 Biliary Stent is similar in terms of intended use, principles of operation, materials of construction and technological characteristics to predicate devices reviewed as devices for palliation of malignant neoplasms in the biliary tree.

**Device Description:**

The Formula 418 Biliary Stent is a balloon-expandable, stainless steel stent which is premounted on the delivery system. The stent will be available in diameters of 5 and 6 mm and lengths of 12, 16, 20, 24 and 30 mm. This device will be supplied sterile and is intended for one-time use.

**Substantial Equivalence:**

The Formula 418 Biliary Stent is similar to many devices in commercial distribution for palliation of malignant neoplasms in the Biliary tree. These devices include the Formula 418™ Biliary Stent System (D.C. #K051785), Bridge FX (Bridge Assurant) Stent Delivery System (D.C. #K011817) stent, the Palmaz Genesis Transhepatic Biliary Stent (D.C. #K021345) and the Lifestent LP SDS Biliary Endoprosthesis (D.C. #K023248).

The similar indications for use, principles of operation, technological characteristics and performance testing results of the Formula 418 Biliary Stent as compared to the predicate devices support a determination of substantial equivalency.

**Test Data:**

The Formula 418 Biliary Stent was subjected to the following tests to assure reliable design and performance under the specified testing parameters. These tests were comprised of:

1. Expansion Force Testing
2. Compression Force Testing
3. Dimensional Testing
4. Balloon Burst Testing
5. Deployment Testing

The results of these tests provide reasonable assurance that the device has been designed and tested to assure conformance to the requirements for its use as a biliary stent.



DEC - 9 2005

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Karen Bradburn, RAC  
Senior Regulatory Affairs Specialist  
Cook Incorporated  
750 Daniels Way  
P.O. Box 489  
BLOOMINGTON IN 47402-0489

Re: K052539

Trade/Device Name: Cook® Formula 418™ Biliary Stent System  
Regulation Number: 21 CFR §876.5010  
Regulation Name: Biliary catheter and accessories  
Regulatory Class: II  
Product Code: FGE  
Dated: November 9, 2005  
Received: November 10, 2005

Dear Ms. Bradburn:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act and the limitations described below. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

The Office of Device Evaluation has determined that there is a reasonable likelihood that this device will be used for an intended use not identified in the proposed labeling and that such use could cause harm. Therefore, in accordance with Section 513(i)(1)(E) of the Act, the following limitation must appear in the Warnings section of the device's labeling:

The safety and effectiveness of this device for use in the vascular system have not been established.

Furthermore, the indication for biliary use must be prominently displayed in all labeling, including pouch, box, and carton labels, instructions for use, and other promotional materials, in close proximity to the trade name, of a similar point size, and in bold print.

Please note that the above labeling limitations are required by Section 513(i)(1)(E) of the Act. Therefore, a new 510(k) is required before these limitations are modified in any way or removed from the device's labeling.

The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and permits your device to proceed to the market. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification if the limitation statement described above is added to your labeling.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific information about the application of other labeling requirements to your device (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International, and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Dorna-Bea Tillman", followed by a stylized flourish.

Dorna-Bea Tillman, Ph.D., M.P.A.  
Director  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

## Indications for Use

510(k) Number (if known): K052539

Device Name: Cook® Formula 418™ Biliary Stent System

FDA's Indications For Use:

The Cook® Formula 418™ Biliary Stent System is indicated for use in palliation of malignant neoplasms in the biliary tree.

Prescription Use   X  

~~AND/OR~~

Over-The-Counter Use


(Part 21 CFR 801 Subpart D)

(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)

  
(Division Sign-Off)  
Division of Reproductive, Abdominal, and  
Radiological Devices  
510(k) Number   K052539  

Page 1 of   1